


# V6-200/240/280-C



## Technical Data


	V6-200-C	V6-240-C	V6-280-C
Engine designation	V6-200-C	V6-240-C	V6-280-C
Horsepower, kW (hp)	149 (200)	179 (240)	209 (280)
Engine speed, rpm	5800	5800	5800
Displacement, l (in <sup>3</sup> )	4.3 (262)	4.3 (262)	4.3 (262)
Number of cylinders	V6	V6	V6
Bore/stroke, mm (in.)	99.6/92.0 (3.92/3.62)	99.6/92.0 (3.92/3.62)	99.6/92.0 (3.92/3.62)
Compression ratio	11.0:1	11.0:1	11.0:1
Fuel system	Spark Ignited Direct Injection	Spark Ignited Direct Injection	Spark Ignited Direct Injection
Volvo Penta Aquamatic drive	SX	SX	SX
Ratio	1.60:1, 1.66:1, 1.79:1, 1.89:1, 1.97:1, 2.18:1	1.60:1, 1.66:1, 1.79:1, 1.89:1, 1.97:1	1.60:1, 1.66:1, 1.79:1, 1.89:1, 1.97:1
Volvo Penta Duoprop drive	DPS	DPS, DPS OX	DPS, DPS OX
Ratio	1.95:1, 2.14:1, 2.32:1	1.95:1, 2.14:1, 2.32:1	1.95:1, 2.14:1, 2.32:1
Volvo Penta Forward Drive	<sup>1)</sup>	FWD	FWD
		1.95:1, 2.14:1, 2.32:1	1.95:1, 2.14:1, 2.32:1
Dry weight with DP, incl. prop. & PS, kg (lb)	410 (903)	410 (903)	410 (903)
Rating	5 <sup>2)</sup>	5 <sup>2)</sup>	5 <sup>2)</sup>
The engine complies with	US EPA, CARB, EU RCD2, BSO <sup>3)</sup>	US EPA, CARB, EU RCD2, BSO <sup>3)</sup>	US EPA, CARB, EU RCD2, BSO <sup>4)</sup>

1. Not available

2. RATING 5, for pleasure craft applications

3. Twin engine applications are BSO certified

4. Only BSO certified for single installations



See note, page 2

# VOLVO PENTA

